

3D Atomic Holographic Optical Storage Nanotechnology

By
Michael E. Thomas

Colossal Storage Corporation
nanostorage@pacbell.net

Abstract

Colossal Storage Inc. has licensed 5 year old patents on new ways of non - contact reading and writing with non destructive reading of information to a ferroelectric molecule.

1. Introduction

The Colossal FE Optical Drive density of 40 gigabits/sq.in. up to 40,000 Terabits/cu.cm.[1] A comparison with harddrives of today is around 4 gigabits/sq.in. maxing at ~200 gigabits.[2] With optically assisted / Blu - Ray drives maxing at ~45 gigabits/sq.in. and contact recording AFM, STM, SPM or SFM, i.e. atomic force microscope and their derivatives, maxing practically out at about ~300 gigabits/sq.in..

2. First Time in the History of Mankind

Colossal Storage uses the Einstein/Planck Theory of Energy Quantum Electrons to control molecular properties by an atoms electron movement/displacement. [3] The Colossal Storage FeDrive - FeHead Semiconductor Integrated Optical Read / Write Head will use Ultraviolet/Blue laser diodes with Voltage transducer to write, photon induced electrical field poling, and UV/Blue laser diode and Nanooptical transistor or Nanofloating gate Mos Fet to read.

2.1 Atomic Switch Controls Optical Data

Molecular dissociation following Thomas' patents cover methods for a non-contact ultraviolet / blue laser photon induced electric field poling using UV at the same wavelength as a molecular transition will create controllable clouds of electrons in harmonic waves (plasmon).

Some organic/inorganic molecules have resonant valence orbit electrons that under the proper Quantum UV/Blue photoexcitation allow conduction band electrons to move freely for a short time. Plasmon known as electric current along with the electric field present providing a mechanism for ferroelectric perovskite molecules to switch binary positions. The unique concept of resonant absorption excitation by UV/Blue light causing molecular dissociation and simultaneous electric field application (Pockels effect) can be used for writing 3D volume data so when it is read back having coherent interference waves in a beam of UV/Blue photon radiation.

The single frequency creates many bright or dark bands from the UV light that are in phase or out of phase with one another. The diffraction by the bistable state nucleus in the center of ferroelectric dipole molecule can therefore be represented as a binary 0 or 1.

Ferroelectric non-linear photonic bandgap crystals offer the possibility of controlling and manipulating light within a UV/Deep Blue frequency. The small size of ferroelectric transparent structures makes it possible to fabricate nano-optical devices like volume holographic storage having both positive and negative index of refraction.

The ability to control the diffraction of Ultraviolet photons makes the ferroelectric perovskite NLO photonic materials very attractive for the research and development of 3D volume holographic optical storage.

Furthermore, ferroelectric non-linear photonic crystal structures provide the ability for infinite rewritability of a non-volatile holographic storage drive.





The outstanding potentials of ferroelectric molecular materials will revolutionize 3D volume holographic optical storage technologies along with several challenges in design,

optimization, fabrication, and characterization an provide for further extensive research and development activities in the field of ferroelectric holographic materials and data storage.


All other known attempts at rewritable holographic storage use electrons clouds to store

data and as a result have only been able to achieve write once read many devices. Thomas feels this method can never overcome the Niels Bohr Atomic Theory of electron recapture and therefore this type of Bragg/Compton Scattering recording technique is usually destructive readout and a short data storage shelf life like spatial spectral hole technology.

3. Semiconductor Integrated Optical Read / Write Head and Function




Schematics Atomic Switch *




Copyright 1998-2003 by Colossal Storage Corp. design by Sonja Thomas

* simplified schematics showing the function of one molecule



Copyright 1998-2005 by Colossal Storage Corp.



design by sonja thomas

4. Conclusions

The Colossal Storage FE Optical Drive will offer symmetrical non-destructive read and writes for the retention of data storage for 100-years or more. Thomas patents on a semiconductor read/write head for ferroelectric optical storage media memories promises to raise data storage densities by a factor of 1000 or more and will add at least 10,000 times the data storage capacity per peripheral storage footprint

Colossal Storage knows the invention and patents by Michael E. Thomas on a technique for changing matter at the molecular level, "Atomic Switch ", is one of the World's only NEW enabling technologies having many hundreds of electro-optic applications.

Atomic Holographic Nanotechnology will allow for the first time a functional method for programmable molecular lenses that will allow incoming light to be rejected, modified internally, or allowed to pass unaltered thru a transparent lens known as disk, tape, card, drum, film, plate, etc.

By being able to use Plasmonic Physics to program optical lenses many applications based on light and color can be developed like holographic storage, bio-terror detection devices, optical electronics, security products and hundreds of other products never seen before on the world's market place.

- It will have highest NLO analog / digital / optical capacity available
- will have lowest cost per gigabyte
- will have lowest power requirement per gigabyte
- will have longest archive shelf life of any data storage media, 100 years
- will have widest environmental conditions and tolerances
- will be only technology that scales from nano to macro solutions
- will have most reliable removable read / write media available
- will have highest bandwidth data transfer potential
- will be direct replacement for hard disk drives
- will NOT have storage media destroyed by Infrared, Visible, or Ultraviolet Light

- will NOT be effected by extreme high energy EMF or Cosmic Rays
- will be nuclear/cosmic radiation hardened capable

Ferroelectric non-linear photonic bandgap crystals offer the possibility of controlling and manipulating light within a UV/Deep Blue frequency. The small size of ferroelectric transparent structures makes it possible to fabricate nano-optical devices like volume holographic storage having both positive and negative index of refraction.

An Atomic Switch is the method of using electric fields and UV photons simultaneously to alter properties of ferroelectric molecules for data and light expression by changing the internal geometry of individual ferroelectric atoms in a 3 dimensional optical crystal.

The ability to control the diffraction of Ultraviolet photons makes the ferroelectric perovskite NLO photonic materials very attractive for the research and development of 3D volume holographic optical storage.

Ferroelectric non-linear photonic crystal structures provide the media for infinite rewritability of data in a non-volatile holographic storage drive.

Bibliography

[1] Writing on the Fringe - Interfering electrons could lead to atomic data storage, *Scientific American October 1995, p. 40*, Michael W. Noel and Carlos R. Stroud of the University of Rochester

[2] IBM's magnetoresistive and giant magnetoresistive head technologies enable data storage products with the industry's highest areal densities. By Jim Belleson, IBM Storage Systems Division, & Ed Grochowski, IBM Almaden Research Center.

[3] *Laboratoire de Céramique (LC) – Matériaux*, Prof. Nava Setter, Research Activities 1996/7 in ferroelectrics.